

L Number	Hits	Search Text	DB	Time stamp
-	30613	chain\$4 with block	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 11:14
-	2845875	chain\$4 ner3 block	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 11:14
-	12688	chain\$4 near3 block	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 11:14
-	927	scrambl\$4 near2 block	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 11:15
-	2487	scrambl\$4 with block	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 11:15
-	4	scrambl\$4 same (chain\$4 adj block)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 11:24
-	2	scrambl\$4 with (chain\$4 adj block)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 11:16
-	297	backward with iterat\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 11:25
-	735	(backward or revers\$3) with iterat\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 11:25
-	3	(backward or revers\$3) with iterat\$4 with scrambl\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 11:50
-	1059	(iterat\$5 or loop) and scrambl\$4 and (block with (cipher\$4 or scrambl\$4 or distort\$4)) and (XOR\$3 or logic or ADD\$3 or SUBTRACT\$3 or chain\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 11:59
-	206	(iterat\$5 or loop) and scrambl\$4 and (block with (cipher\$4 or scrambl\$4 or distort\$4)) and (XOR\$3 or logic or ADD\$3 or SUBTRACT\$3 or chain\$4) and round	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 12:00
-	13	(iterat\$5 or loop) and scrambl\$4 and (block with (cipher\$4 or scrambl\$4 or distort\$4)) and (XOR\$3 or logic or ADD\$3 or SUBTRACT\$3 or chain\$4) and round and ((backward or revers\$4 or invers\$4) with (iterat\$5 or loop))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 13:21

-	73	(iterat\$5 or loop) and scrambl\$4 and (block with cipher\$4 or scrambl\$4 or distort\$4 or permutat\$4 or substitut\$4) and (XOR\$3 or logic or ADD\$3 or SUBTRACT\$3 or chain\$4) and (round or stage) and ((backward or revers\$4 or invers\$4)) and ((cipher\$4 or scrambl\$4 or distort\$4 or permutat\$4 or substitut\$4) with (one or single or next) with (round or stage))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 18:19
-	8	5675653.URPN.	USPAT	2004/02/03 16:44
-	47	(iterat\$5 or loop) and scrambl\$4 and (block with cipher\$4 or scrambl\$4 or distort\$4 or permutat\$4 or substitut\$4) and (XOR\$3 or logic or ADD\$3 or SUBTRACT\$3 or chain\$4) and (round or stage) and ((backward or revers\$4 or invers\$4)) and ((cipher\$4 or scrambl\$4 or distort\$4 or permutat\$4 or substitut\$4) with (one or single or next) with (round or stage)) and (decreas\$4 or decrement\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 16:55
-	8081	(iterat\$5 or loop) and ((block with cipher\$4 or scrambl\$4 or distort\$4 or permutat\$4 or substitut\$4)) same (((backward or revers\$4 or invers\$4) or (decreas\$4 or decrement\$4)) with ((cipher\$4 or scrambl\$4 or distort\$4 or permutat\$4 or substitut\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 16:58
-	324	(iterat\$5 or loop) and ((block with (cipher\$4 or scrambl\$4 or distort\$4 or permutat\$4 or substitut\$4))) same (((backward or revers\$4 or invers\$4) or (decreas\$4 or decrement\$4)) with ((cipher\$4 or scrambl\$4 or distort\$4 or permutat\$4 or substitut\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 16:59
-	42	(iterat\$5 or loop) and ((block with (cipher\$4 or scrambl\$4 or distort\$4 or permutat\$4 or substitut\$4))) same (((backward or revers\$4 or invers\$4) or (decreas\$4 or decrement\$4)) with ((cipher\$4 or scrambl\$4 or distort\$4 or permutat\$4 or substitut\$4))) and (increment\$4 same decrement\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 16:59
-	16	(iterat\$5 or loop) and ((block with (cipher\$4 or scrambl\$4 or distort\$4 or permutat\$4 or substitut\$4))) same (((backward or revers\$4 or invers\$4) or (decreas\$4 or decrement\$4)) with ((cipher\$4 or scrambl\$4 or distort\$4 or permutat\$4 or substitut\$4))) and (increment\$4 same decrement\$4) and (odd and even)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 17:47
-	2	(iterat\$5 or loop) and ((block with (cipher\$4 or scrambl\$4 or distort\$4 or permutat\$4 or substitut\$4))) same (((backward or revers\$4 or invers\$4) or (decreas\$4 or decrement\$4)) with ((cipher\$4 or scrambl\$4 or distort\$4 or permutat\$4 or substitut\$4))) and (increment\$4 same decrement\$4) and (odd and even) near2 (bit or number)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 17:47
-	2	(iterat\$5 or loop) and ((block with (cipher\$4 or scrambl\$4 or distort\$4 or permutat\$4 or substitut\$4))) same (((backward or revers\$4 or invers\$4) or (decreas\$4 or decrement\$4)) with ((cipher\$4 or scrambl\$4 or distort\$4 or permutat\$4 or substitut\$4))) and (increment\$4 same decrement\$4) and ((odd and even) near2 (bit or number))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 17:56

-	884	(iterat\$5 or loop) and (increment\$4 and decrement\$4) and ((odd and even) near2 (bit or number))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 17:57
-	16	(iterat\$5 or loop) and (increment\$4 and decrement\$4) and ((odd and even) near2 (bit or number)) and ((block or stream) with cipher\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 17:57
-	9	("4375579" "5432848" "5481613" "5513262" "5548648" "5623549" "5666414" "5673319" "5825886").PN.	USPAT	2004/02/03 18:07
-	0	(iterat\$5 or loop) and scrambl\$4 and (block with cipher\$4 or scrambl\$4 or distort\$4 or permutat\$4 or substitut\$4) and (XOR\$3 or logic or ADD\$3 or SUBTRACT\$3 or chain\$4) and (round or stage) and ((backward or revers\$4 or invers\$4)) and ((cipher\$4 or scrambl\$4 or distort\$4 or permutat\$4 or substitut\$4) with (one or single or next) with (round or stage)) and (increment\$4 and decrement\$4) and ((odd and even) near2 (bit or number)) and ((block or stream) with cipher\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 18:20
-	2	(iterat\$5 or loop) and scrambl\$4 and (block with cipher\$4 or scrambl\$4 or distort\$4 or permutat\$4 or substitut\$4) and (XOR\$3 or logic or ADD\$3 or SUBTRACT\$3 or chain\$4) and (round or stage) and ((backward or revers\$4 or invers\$4)) and ((cipher\$4 or scrambl\$4 or distort\$4 or permutat\$4 or substitut\$4) with (one or single or next) with (round or stage)) and ((odd and even) near2 (bit or number)) and ((block or stream) with cipher\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 18:35
-	0	(iterat\$5 or loop) and scrambl\$4 and (block with cipher\$4 or scrambl\$4 or distort\$4 or permutat\$4 or substitut\$4) and (XOR\$3 or logic or ADD\$3 or SUBTRACT\$3 or chain\$4) and (round or stage) and ((backward or revers\$4 or invers\$4)) and ((cipher\$4 or scrambl\$4 or distort\$4 or permutat\$4 or substitut\$4) with (one or single or next) with (round or stage)) and (" i =n to 1")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 18:34
-	8	(iterat\$5 or loop) and scrambl\$4 and (block with cipher\$4 or scrambl\$4 or distort\$4 or permutat\$4 or substitut\$4) and (XOR\$3 or logic or ADD\$3 or SUBTRACT\$3 or chain\$4) and (round or stage) and ((backward or revers\$4 or invers\$4) with (iterat\$5 or loop)) and ((cipher\$4 or scrambl\$4 or distort\$4 or permutat\$4 or substitut\$4) with (one or single or next) with (round or stage))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 18:37
-	10	("6269164" "6275587" "5745577" "6185304" "6415032").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 18:49
-	2655	((Xor\$4 or "exclusive or") with (next or adjacent))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 18:50

-	39	((Xor\$4 or "exclusive or") with ((next or adjacent) adj block))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 11:18
-	217209	backward chaining	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 19:00
-	284	backward near chaining	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 19:01
-	5	(forward near chaining) with follow\$4 with (backward near chaining)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 19:06
-	16	(forward) with follow\$4 with (chaining)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 19:07
-	11	((forward) with follow\$4 with (chaining)) not ((forward near chaining) with follow\$4 with (backward near chaining))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 19:06
-	3066	(forward) with follow\$4 with (backward)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 19:07
-	0	(forward near loop) with follow\$4 with (backward near loop)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 19:07
-	1	(forward near (loop or iterati\$4)) with follow\$4 with (backward near (loop iterati\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 19:22
-	2	((forward\$4 or increment\$4) near (loop or iterati\$4)) with follow\$4 with ((backward or decrement\$4) near (loop iterati\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 19:23
-	91	((forward\$4 or increment\$4) near (loop or iterati\$4)) with ((backward or decrement\$4) near (loop iterati\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 19:23
-	3	((forward\$4 or increment\$4) near (loop or iterati\$4)) with ((backward or decrement\$4) near (loop iterati\$4)) and ((stream or block) with (cipher\$4 or chain\$4 or scrambl\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 19:36
-	4	((forward\$4 or increment\$4) with (loop or iterati\$4)) with ((backward or decrement\$4 or invers\$4 or revers\$4) with (loop iterati\$4)) and ((stream or block) with (cipher\$4 or chain\$4 or scrambl\$4))) and 380/.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 19:37
-	73	((forward\$4 or increment\$4) with (loop or iterati\$4)) with ((backward or decrement\$4 or invers\$4 or revers\$4) with (loop iterati\$4)) and ((stream or block) with (cipher\$4 or chain\$4 or scrambl\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 19:39

-	0	((forward\$4 or increment\$4) with (loop or iterati\$4)) and ((backward or decrement\$4 or invers\$4 or revers\$4) with ((even or odd) adj (number or bit)) with (loop iterati\$4)) and ((stream or block) with (cipher\$4 or chain\$4 or scrambl\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 19:40
-	2	((backward or decrement\$4 or invers\$4 or revers\$4) with ((even or odd) adj (number or bit)) with (loop iterati\$4)) and ((stream or block) with (cipher\$4 or chain\$4 or scrambl\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 19:42
-	3	((backward or decrement\$4 or invers\$4 or revers\$4) with ((even or odd) adj (number or bit)) same (loop iterati\$4)) and ((stream or block) with (cipher\$4 or chain\$4 or scrambl\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 19:43
-	0	((forward\$4 or increment\$4) with (loop or iterati\$4)) and ((backward or decrement\$4 or invers\$4 or revers\$4) with ((even or odd) adj (number or bit)) and (condition or rule or determin\$4 or valid\$) same (loop iterati\$4)) and ((stream or block) with (cipher\$4 or chain\$4 or scrambl\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 19:44
-	21	((backward or decrement\$4 or invers\$4 or revers\$4) with ((even or odd) adj (number or bit)) and (condition or rule or determin\$4 or valid\$) same (loop iterati\$4)) and ((stream or block) with (cipher\$4 or chain\$4 or scrambl\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 19:45
-	30	((backward or decrement\$4 or invers\$4 or revers\$4) with ((even or odd) adj (number or bit)) and (condition or rule or determin\$4 or valid\$) and (loop iterati\$4)) and ((stream or block) with (cipher\$4 or chain\$4 or scrambl\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 19:46
-	11	((backward or decrement\$4 or invers\$4 or revers\$4) with ((even or odd) adj (number or bit)) and (condition or rule or determin\$4 or valid\$) and (loop iterati\$4)) and 380/.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 19:54
-	11	((backward or decrement\$4 or invers\$4 or revers\$4 or decreas\$4) with ((even or odd) adj (number or bit or iterati\$4)) and (condition or rule or determin\$4 or valid\$) and (loop iterati\$4)) and 380/.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 19:55
-	142	((backward or decrement\$4 or invers\$4 or revers\$4 or decreas\$4) and ((even or odd) adj (number or bit or iterati\$4)) and (condition or rule or determin\$4 or valid\$) and (loop iterati\$4)) and 380/.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 19:56
-	31	((backward or decrement\$4 or invers\$4 or revers\$4 or decreas\$4) same ((even or odd) adj (number or bit or iterati\$4)) and (condition or rule or determin\$4 or valid\$) and (loop iterati\$4)) and 380/.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 19:59
-	20	(((backward or decrement\$4 or invers\$4 or revers\$4 or decreas\$4) same ((even or odd) adj (number or bit or iterati\$4)) and (condition or rule or determin\$4 or valid\$) and (loop iterati\$4)) and 380/.ccls.) not (((backward or decrement\$4 or invers\$4 or revers\$4 or decreas\$4) with ((even or odd) adj (number or bit or iterati\$4)) and (condition or rule or determin\$4 or valid\$) and (loop iterati\$4)) and 380/.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 19:56

-	1	(((backward or decrement\$4 or invers\$4 or revers\$4 or decreas\$4) or (forward\$4 or increment\$4 or increas\$4)) with loop) same ((even or odd) adj (number or bit or iterati\$4)) and (condition or rule or determin\$4 or valid\$) and (loop iterati\$4)) and 380/.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 20:06
-	2	(((backward or decrement\$4 or invers\$4 or revers\$4 or decreas\$4) or (forward\$4 or increment\$4 or increas\$4)) with loop) same ((even or odd) with (number or bit or iterati\$4)) and (condition or rule or determin\$4 or valid\$) and (loop iterati\$4)) and 380/.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 20:07
-	2876	((condition or rule or determin\$4 or valid\$ or decision) with block with (present or exist\$4)) and (loop iterati\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 20:09
-	30	((condition or rule or determin\$4 or valid\$ or decision) with block with (present or exist\$4)) and (loop iterati\$4) and 380/.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 20:11
-	9	((condition or rule or determin\$4 or valid\$ or decision) with block with (present or exist\$4)) and (loop iterati\$4) and (((backward or decrement\$4 or invers\$4 or revers\$4 or decreas\$4) or (forward\$4 or increment\$4 or increas\$4)) with loop) and 380/.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 20:13
-	442	((condition or rule or determin\$4 or valid\$ or decision) with block with (present or exist\$4)) and (loop iterati\$4) and (((backward or decrement\$4 or invers\$4 or revers\$4 or decreas\$4) or (forward\$4 or increment\$4 or increas\$4)) with loop)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 20:13
-	27	((condition or rule or determin\$4 or valid\$ or decision) with block with (present or exist\$4)) and (loop iterati\$4) and (((backward or decrement\$4 or invers\$4 or revers\$4 or decreas\$4) or (forward\$4 or increment\$4 or increas\$4)) with loop) and ((block or stream)with (cipher\$4 or encrypt\$4 or decipher\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 20:14

-	477	(("6061449" "6061449" "5631960" "5793871" "5768390" "6404888" "5745577" "6125182" "5673319" "5799089" "5835599" "6415032" "6314186" "6345101" "6366117" "5715164" "4933969" "5195136" "4319079" "4907275" "5684876" "5974144" "6182216" "5778074" "5949884" "5675653" "6031911" "6269164" "6185304" "6185679" "6189095" "6055316" "4074066" "4078152" "4969190" "5297208" "5381480" "5517614" "5671284" "5727062" "5740251" "5793940" "6128737" "6226742" "6226742" "6272221" "6441641" "6542607" "6570989" "6052786" "5694473" "5809148" "5261003" "5488661" "5548648" "6408076" "4815130" "5428686" "5796836" "6101543" "6370247" "5454039" "5675652" "5835597" "6069954" "6301362" "6199162" "6578150" "6192129" "6243470" "5623549" "5995623" "5702730" "5884098" "6070182" "6110040" "61809809"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 09:38
Search History	2/5702730	4:36 PM	Page 8	
C:\APPS\EAST\Workspa61100409809.wsp				

-	2	("5517614" "5727062").PN.	USPAT	2004/02/04 09:07
-	2	("5398284" "5488661").PN.	USPAT	2004/02/04 09:36
-	85	(backward or reverse) with (plaintext or "plaintext")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 09:39
-	7	(backward or reverse) near2 (plaintext or "plaintext")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 09:42
-	0	(backward) near2 (plaintext or "plaintext")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 09:42
-	10	(backward) with (plaintext or "plaintext")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 09:44
-	4324578	(forward) follow\$4 (backward) with (plaintext or "plaintext")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 09:45
-	0	(forward) with follow\$4 with (backward) with (plaintext or "plaintext")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 09:46
-	3066	(forward) with follow\$4 with (backward)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 09:52
-	35	(forward) with follow\$4 with (backward) with (chain\$4 or encrypt\$4 or scrambl\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 09:46
-	3	(forward) with follow\$4 with (backward) and 380/.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 09:54
-	16	(forward or increment\$4 or increas\$4 or (+1)) with follow\$4 with (backward or decrement\$4 or decreas\$4) and 380/.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 09:58
-	117	(forward or increment\$4 or increas\$4 or (+1)) same follow\$4 same (backward or decrement\$4 or decreas\$4) and 380/.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 11:15
-	31	("4644422" "4733295" "4953008" "5126834" "5243411" "5394274" "5418853" "5481608" "5523853" "5537216" "5574787" "5627655" "5659613" "5689559" "5699434" "5828754" "5859950" "5883959" "5889868" "5905798" "5915018" "5923754" "5930369" "5953417" "5959717" "5960151" "5960398" "5991499" "6002830" "6005936" "6018608").PN.	USPAT	2004/02/04 11:07
-	2	6137952.URPN.	USPAT	2004/02/04 11:08

-	37	((Xor\$4 or "exclusive or\$4") with ((next or adjacent or previous\$2) adj block))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 14:44
-	81	((Xor\$4 or "exclusive or\$4") same ((next or adjacent or previous\$2) adj block))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 14:44
-	19	("4203166" "4218738" "4227253" "4238553" "4238859" "4747050" "4755940" "4850017" "4918728" "4924514" "4924515" "4941176" "4993069" "5007089" "5103478" "5144665" "5177791" "5200999" "5432849").PN.	USPAT	2004/02/05 14:51
-	0	6333983.URPN.	USPAT	2004/02/05 14:54